

DECKING PROFILES

RIVERCLACK STANDING SEAM ROOFING SOLUTION





CHARACTERISTICS

Advantages

In partnership with:




The company, ACB offers a "standing seam" roofing solution for low slope roof structures

- Aesthetic appearance of a standing seam joint
- Very low slope (from 3%)
- Very long lengths (up to 100m)
- No mounting through-holes
- Mounting system eliminating all thermal bridges
- Natural arching from a 20m radius
- Excellent durability
- Very light cladding system



Materials




Detail of 2 clipped ribs on specific mounting bracket




Attachment by simple clipping system

RIVERCLACK 55 profile shape




RIVERGRIP profile shape




INSTALLATION ON BACACIER STEELDECKS

Installation


System under Alpha technical assessment/Inspection no. 100303-10-01



Steeldecks



ALTEO 42.1010



ALTEO 59.900

For more information , please contact your BACACIER or ACB representative:

BACACIER – SIDE P
 Technical Department
 Z.I Ladoux - 16, Rue Verte
 63118 CÉBAZAT

T: +33 (0)4 73 97 79 70
 F: +33 (0)4 73 64 65 54
 E-mail: sidep@bacacier.com

ACB - exclusive distributor of Riverclack
 1, Rue de Guesclin
 BP 61905
 44019 NANTES Cedex 1

Tel.: +33 (0)6 19 38 69 23
 Fax: +33 (0)2 40 99 00 01
 M: +33 (0)6 19 38 69 23
 E-mail: evincent@acb-riverclack.fr

BACACIER®

AT YOUR SERVICE



www.bacacier.com

*Discover all our products
and services online*



open@bacacier.com

*Comitted to respond
within 48 hours*